(8)

AMENDMENTS TO THE CLAIMS

Please amend the claims as follows:

(Currently Amended) An 8-oxoadenine compound represented by the following formula
 (1):

, wherein A is a group selected from the group consisting of the following formulas (2) to (8):

, wherein R2 is a hydrogen atom, or an alkyl group;

R3 is a hydrogen atom or an alkyl group;

R is a halogen atom, a haloalkyl group, a haloalkoxy group, an alkyl group, an alkoxy group, amino group, an alkylamino group or <u>a</u> dialkylamino group;

n is an integer of 0 to 2, and when n is 2, Rs may be the same or different;

 X^1 is an oxygen atom, a sulfur atom, SO_2 , NR^4 (wherein R^4 is a hydrogen atom or an alkyl group), or a single bond;

Z is a straight or branched chain alkylene;

R¹ is a substituted or unsubstituted alkyl group, a substituted or unsubstituted aryl group, a substituted or unsubstituted heteroaryl group or a substituted or unsubstituted cycloalkyl group, or a pharmaceutically acceptable salt thereof.

2. (Currently Amended) The 8-oxoadenine compound according to claim 1, wherein \mathbb{R}^2 is a substituted or unsubstituted $\mathbb{C}_{1.8}$ alkyl group, wherein said-alkyl-group-may-be substituted by one or plural substituents which may be the same or different, and the substituents (I) on said-alkyl-group are selected from the group consisting of a halogen atom, hydroxy-group, earboxy-group, $\mathbb{C}_{2.8}$ -cycloalkyl-group, a $\mathbb{C}_{1.6}$ -alkyl-thio group, a $\mathbb{C}_{3.8}$ -cycloalkoxy-group, a $\mathbb{C}_{1.6}$ -alkyl-thio group, a $\mathbb{C}_{3.8}$ -cycloalkoxy-group, a $\mathbb{C}_{1.6}$ -alkyl-sulfonyl-group, a $\mathbb{C}_{1.6}$ -alkyl-sulfonyl-group, a substituted or unsubstituted earbamoyl-group, a substituted or unsubstituted sulfamoyl-group, a substituted or unsubstituted or unsubstituted 5-to-10 membered heteroaryl-group-which contains 1 to 4 hetero-atoms consisting of 0 to 2 nitrogen atoms, 0 to 1 oxygen atom and 0 to 1 sulfur atom, and a substituted or unsubstituted 4 to 7 membered saturated heterocyclic group-which contains 1 to 4 hetero-atoms consisting of 0 to 2 nitrogen atoms, 0 to 2 oxygen-atoms and 0 to 2 sulfur-atoms;

R3 is a hydrogen atom or an alkyl group;

R is a halogen atom, a $C_{1.6}$ haloalkyl group, a $C_{1.6}$ haloalkyr group, a $C_{1.6}$ alkyl group, a $C_{1.6}$ alkyr group, an amino group, an $C_{1.6}$ alkylamino group, or a di $C_{1.6}$ alkyl amino group; n is an integer of 0 to 2, and when n is 2, Rs may be the same or different;

3

X¹ is an oxygen atom, a sulfur atom, SO₂, NR⁴ (wherein R⁴ is a hydrogen atom or a C₁₋₆ alkyl group), or a single bond;

Z is a straight or branched chain C1-8 alkylene;

 R^1 is a substituted or unsubstituted alkyl group, and the substituents (II) of the said alkyl group, are selected from the group consisting of a halogen atom, a hydroxy group, a $C_{1:4}$ alkoxy group, a $C_{1:4}$ alkoxy group, a $C_{1:4}$ alkoxy group, a $C_{1:4}$ alkoxy group, a $C_{1:4}$ alkyl-thio group, a mamine group, a $C_{1:4}$ alkyl-thio group, a substituted or unsubstituted or unsubstituted or unsubstituted or unsubstituted or unsubstituted aryl-thio-group, a substituted or unsubstituted aryl-thio-group, a substituted or unsubstituted aryl-thio-group, a substituted or unsubstituted $C_{1:4}$ alkyl-group, or a substituted or unsubstituted $C_{1:4}$ accordance or unsubstituted or unsub

 (Currently amended) The 8-oxoadenine compound or a pharmaceutically acceptable salt thereof according to claim 1 or 2, wherein R² in the formula (1) is a methyl group.

4. - 5. (Canceled)

- (Currently amended) The 8-oxoadenine compound or a pharmaceutically acceptable salt thereof according to claim 1, wherein R³ in the formula (1) is a hydrogen atom.
- (Previously Presented) The 8-oxoadenine compound or a pharmaceutically acceptable salt thereof according to claim 1, wherein Z in the formula (1) is a straight chain C_{1.5} alkylene group.

- (Previously Presented) The 8-oxoadenine compound or a pharmaceutically acceptable salt thereof according to claim 1, wherein X¹ in the formula (1) is a single bond, oxygen atom or sulfur atom.
- (Currently Amended) The 8-oxoadenine compound or a pharmaceutically acceptable salt thereof according to claim 1, wherein R¹ in the formula (1) is a C₁₋₆ alkyl group which is optionally substituted by an alkoxycarbonyl group, a hydroxy group or an alkoxy group.
- (Currently Amended) The 8-oxoadenine compound or a pharmaceutically acceptable salt
 thereof according to claim 1, wherein X¹ in the formula (1) is a single bond, R¹ is a C₁₋₆ alkyl
 group which is substituted by a methoxycarbonyl group.
- 11. (Previously presented) A pharmaceutical composition comprising the 8-oxoadenine compound or a pharmaceutically acceptable salt thereof as claimed in claim 1 as an active ingredient and an acceptable carrier.
- 12. 14. (Canceled)
- 15. 19. (Canceled)
- (Currently Amended) A process for preparing the 8-oxoadenine compound as claimed in claim 1, which comprises brominating a compound represented by the formula (9):

, wherein A is a group selected from the group consisting of the following formulas (2) to (8):

, wherein $\ensuremath{R^2}$ is \underline{a} hydrogen atom, or a substituted or unsubstituted alkyl group;

R3 is a hydrogen atom or an alkyl group;

R is a halogen atom, a haloalkyl group, a haloalkoxy group, an alkyl group, an alkoxy group, amino group, an alkylamino group or a dialkylamino group;

n is an integer of 0 to 2, and when n is 2, Rs may be the same or different;

 X^{I} is an oxygen atom, a sulfur atom, SO_2 , NR^4 (wherein R^4 is a hydrogen atom or an alkyl group), or a single bond;

Z is a straight or branched chain alkylene;

R¹ is a substituted or unsubstituted alkyl group, a substituted or unsubstituted aryl group, a substituted or unsubstituted heteroaryl group or a substituted or unsubstituted cycloalkyl group, and hydrolyzing the resultant or reacting the resultant with a metal alkoxide and then hydrolyzing.

21. (Currently Amended) A compound represented by the formula (9):

, wherein A is a group selected from the group consisting of the following formulas (2) to (8):

, wherein R^2 is <u>a hydrogen</u> atom, or a substituted or unsubstituted alkyl group; R^3 is <u>a hydrogen</u> atom or an alkyl group;

Docket No. 0020-5517PUS1

R is a halogen atom, a haloalkyl group, a haloalkoxy group, an alkyl group, an alkoxy group, amino group, an alkylamino group or \underline{a} dialkylamino group;

n is an integer of 0 to 2, and when n is 2, Rs may be the same or different;

 X^{I} is <u>an</u> oxygen atom, <u>a</u> sulfur atom, SO_{2} , NR^{4} (wherein R^{4} is <u>a</u> hydrogen atom or an alkyl group), or a single bond;

Z is a straight or branched chain alkylene;

R¹ is a substituted or unsubstituted alkyl group, a substituted or unsubstituted aryl group, a substituted or unsubstituted heteroaryl group or a substituted or unsubstituted cycloalkyl group, or its pharmaceutically acceptable salt.

22. (Currently Amended) An 8-oxoadenine compound or its pharmaceutically acceptable salt selected from the group consisting of the following compounds:

8-hvdroxv-2-(3-hvdroxvpropylthio)-9-(3-methoxycarbonylmethylbenzyl)adenine.

8-hydroxy-2-(4-hydroxybutylthio)-9-(3-methoxycarbonylmethylbenzyl)adenine,

8-hydroxy-2-(2-methoxyethylthio)-9-(3-methoxycarbonylmethylbenzyl)adenine,

8-hydroxy-2-(3-hydroxypropoxy)-9-(3-methoxycarbonylmethylbenzyl) adenine,

8-hydroxy-2-(2-hydroxyethoxy)-9-(3-methoxycarbonylmethylbenzyl) adenine,

8-hydroxy-2-(4-hydroxybutoxy)-9-(3-methoxycarbonylmethylbenzyl)adenine,

8-hydroxy-9-(3-methoxy carbonyl methyl benzyl)-2-(4,4,4-trifluor obutoxy) adenine,

8-hydroxy-9-(3-methoxycarbonylmethylbenzyl)-2-[N-(2-methoxyethyl)amino]adenine,

2-butoxy-8-hydroxy-9-[2-(3-methoxycarbonylmethylphenyl)ethyl]adenine,

 $2\hbox{-}butoxy\hbox{-}8\hbox{-}hydroxy\hbox{-}9\hbox{-}[3\hbox{-}(3\hbox{-}methoxycarbonylmethylphenyl)propyl] adenine,}\\$

 $\hbox{2-(2,3-dihydroxy-1-propoxy)-8-hydroxy-9-(3-methoxy carbonyl methyl benzyl)} adenine,$

 $\hbox{2-(2-ethoxyethoxy)-8-hydroxy-9-(3-methoxycarbonylmethylbenzyl)} adenine,$

2-cyclohexylmethoxy-8-hydroxy-9-(3-methoxycarbonylmethylbenzyl)adenine,

 $\hbox{2-benzyloxy-8-hydroxy-9-(3-methoxy carbonyl methyl benzyl)} a denine,$

8-hydroxy-2-(2-methoxycarbonylethyl)-9-(3-methoxycarbonylmethylbenzyl) adenine,

 $2-but oxy-8-hydroxy-9-\{(5-methoxy carbonyl methyl-2-thienyl) methyl\} adenine,\\$

 $2\hbox{-butoxy-8-hydroxy-9-} \\ \{(2\hbox{-methoxycarbonylmethyl-4-pyridyl}) methyl\} adenine,$

2-butoxy-8-hydroxy-9-{(6-methoxycarbonylmethyl-2-pyridyl)methyl}adenine,

```
2-butoxy-8-hydroxy-9-{(4-methoxycarbonylmethyl-2-pyridyl)methyl}adenine,
2-butoxy-8-hydroxy-9-[(2-methoxy-5-methoxycarbonylmethyl)benzyl]adenine,
2-butoxy-9-f(4-fluoro-3-methoxycarbonylmethyl)benzyll-8-hydroxyadenine, and
2-butoxv-8-hydroxy-9-[(4-methoxy-3-methoxycarbonylmethyl)benzyl]adenine,;
2
9-(3-carboxymethylbenzyl)-8-hydroxy-2-(3-hydroxypropylthio)adenine.
9-(3-carboxymethylbenzyl)-8-hydroxy-2-(4-hydroxybutylthio)adenine.
9-(3-carboxymethylbenzyl)-8-hydroxy-2-(2-methoxyethylthio)adenine,
9-(3-carboxymethylbenzyl)-8-hydroxy-2-(3-hydroxypropoxy)adenine,
9-(3-earboxymethylbenzyl)-8-hydroxy-2-(2-hydroxyethoxy)adenine,
9-(3-carboxymethylbenzyl)-8-hydroxy-2-(4-hydroxybutoxy)adenine-
9-(3-carboxymethylbenzyl) 8 hydroxy 2 (4,4,4 trifluorobutoxy)adenine.
9-(3-carboxymethylbenzyl)-8-hydroxy-2-IN-(2-methoxyethyl)aminoladenine.
2-butoxy-9-[2-(3-carboxymethylphenyl)ethyl]-8-hydroxyadenine,
2-butoxy-9 [3-(3-carboxymethylphenyl)propyl]-8-hydroxyadenine;
9 (3-earboxymethylbenzyl)-2 (2,3-dihydroxy-1-propoxy)-8-hydroxyadenine.
9-(3-carboxymethylbenzyl)-2-(2-ethoxyethoxy)-8-hydroxyadenine.
9-(3-carboxymethylbenzyl)-2-cyclohexylmethoxy-8-hydroxyadenine;
2-benzyloxy-9-(3-carboxymethylbenzyl) 8-hydroxyadenine,
2-(2-carboxyethyl)-9-(3-carboxymethylbenzyl)-8-hydroxyadenine,
2-butoxy 9-{(5-carboxymethyl-2-thienyl)methyl}-8-hydroxyadenine,
2-butoxy-9-{(6-carboxymethyl-2-pyridyl)methyl)-8-hydroxyadenine.
2-butoxy-9-{(4-carboxymethyl-2-pyridyl)methyl}-8-hydroxyadenine,
2-butoxy-9-(5-carboxymethyl-2-methoxy)benzyl-8-hydroxyadenine,
2-butoxy 9-(3-carboxymethyl-4-fluoro)benzyl-8-hydroxyadenine, and
2-butoxy-9-(3-carboxymethyl-4-methoxy)benzyl-8-hydroxyadenine.
```